



NEXA AUTOCOLOR®

SPECTRAL GREY IDENTIFICATION

To identify the optimum Spectral Grey by specific colour, please refer to the colour formulation.

SG01

Use under:
Whites / Light Yellows / Light Greens / Light Blues

SG03

Use under:
Light Greys / Yellows / Possible alternative for SG01 on spot repairs**

SG05


Use under:
Medium Greys / Dark Yellows / Greens / Blues / Light/Med Reds

SG06

Use under:
Dark Greys / Dark Greens / Dark Blues / Dark Reds / Red Pearls

SG07

Use under:
Blacks / Very Dark Greys / Maroon Pearls / Some Dark Red Pearls



2K® SELF-LEVELLING PRIMER

	SG01	SG03	SG05	SG06	SG07
P565-5601	100%	75%			
P565-5605		25%	100%	48%	
P565-5607				52%	100%

2K PREMIUM PRIMER SURFACER

	SG01	SG03	SG05	SG06	SG07
P565-5701	100%	75%			
P565-5705		25%	100%	48%	
P565-5707				52%	100%

2K SPEED SURFACER

	SG01	SG03	SG05	SG06	SG07
P565-5801	100%	58%			
P565-5805		42%	100%	48%	
P565-5807				52%	100%

% mix by weight

**Using SG01 when priming spot repair areas could sometimes produce transparency issues. As an alternative it may sometimes be advisable to use SG03 in it's place which will help optimise coverage of the primer.

